

Host
(RDB No. Index)

(A)

| Name of Host | RDB No. |
|-----------------|---------|
| HB101 | 001 |
| C600 | 002 |
| LE392 | 003 |
| Q358 | 004 |
| P2392 | 005 |
| K802 | 006 |
| 490A | 007 |
| Q359 | 009 |
| JM101 | 010 |
| JM109 | 011 |
| BNN93 (C600) | 013 |
| BNN102 (C600h1) | 014 |
| Y1090 | 015 |
| Y1088 | 016 |
| DH1 | 017 |
| ED8767 | 018 |
| DK22 | 019 |
| NM514 | 021 |
| BL21 | 022 |
| BL21(DE3) | 023 |
| BL21(DE3) plysE | 024 |
| BL21(DE3) plysS | 025 |
| HMS174 | 026 |
| AB1380 | 101 |
| JM105 | 103 |
| JM107 | 104 |
| NM522 | 105 |
| JMB3 | 106 |
| DH5 | 107 |
| DH5 α | 108 |
| XL1-Blue | 109 |
| MV1184 | 110 |
| TOP10F | 111 |
| MC1061/P3 | 112 |
| N-4830-1 | 113 |
| AG1 | 114 |
| D1210 HP | 115 |
| BMH71-18 mut S | 116 |
| DH21 | 117 |
| TOP10 | 118 |
| INV1 α F | 119 |
| D1210 | 120 |
| SOLR | 121 |
| SRB | 123 |
| SRB (P2) | 124 |
| JM110 | 125 |
| XS127/P3 | 126 |
| CJ236 | 127 |
| CJ236/P3 | 128 |
| SURE | 129 |
| NM554 | 130 |
| BB4 | 131 |

| Name of Host | RDB No. |
|----------------------|---------|
| INV α | 132 |
| XL1-Blue MRA P2 | 133 |
| XL1-Blue MR RecA | 134 |
| XL1-Blue MRF | 135 |
| Y1090 R | 136 |
| JM109 (DE3) | 137 |
| BW313/P3 | 138 |
| K1041 | 139 |
| XL0LR | 140 |
| ABLE TM K | 141 |
| SCS110 | 142 |
| XL1-Blue MR | 143 |
| VCS257 | 145 |
| Y1089 R | 146 |
| YPH499 | 147 |
| YPH500 | 148 |
| YPH501 | 149 |
| AM1 | 150 |
| PLK-A | 151 |
| TH2 | 152 |

理化学研究所 6707"

General Catalog 57
(No. 4 April, 1999)

Host

(TOP10F TOP10)

RDB NO.: 111

Name of Host: TOP10F

Species: *Escherichia coli*

Genotype: F (tet^r), mcrA Δ (mrr-hsdRMS-mcrBC), φ 80 Δ lac Δ M15, Δ lacX74 deoR, recA1, araD139, Δ (ara, leu) 7697, galU, galK, λ⁺, rpsL (str^r) endA1, nupG

Reference:

Developer: User No.

Depositor: User No.

Restriction: a

RDB NO.: 112

Name of Host: MC1061 / P3

Species: *Escherichia coli*

Genotype: F, ara Δ 139, Δ (araABC-leu) 7696, galU, galK, Δ lacX74, (r_K⁺, m_K⁺), rpsL, thi, mcrB (P3; amber amp^r, amber tet^r, Kan^r)

Reference:

Developer: User No.

Depositor: User No.

Restriction: a

RDB NO.: 113

Name of Host: N-4830-1

Species: *Escherichia coli*

Genotype: F, su⁺, his⁺, ilv⁺, galK Δ 8 (Δ chl D-pgH), (λ, Δ Bam, N⁺ C1857 HI)

Reference:

Developer: User No.

Depositor: User No.

Restriction: a

RDB NO.: 114

Name of Host: AG1

Species: *Escherichia coli*

Genotype: recA1, endA1, gyrA96, thi-1, hsdR17 (r_K⁺, m_K⁺), SupE44, relA1

Reference: BioTechniques, 5, 376-379 (1987). J. Mol. Biol., 166, 557-580 (1983).

Developer: User No.

Depositor: User No.

Restriction: a

RDB NO.: 115

Name of Host: D1210 HP

Species: *Escherichia coli*

Genotype: D1210 (λ, cl⁺ 857, xis6⁺, k11⁺)

Reference: Gene, 56, 151 (1987).

Developer: User No.

Depositor: User No.

Restriction: a

RDB NO.: 116

Name of Host: BMH71-18 mutS

Species: *Escherichia coli*

Genotype: Δ (lac-proAB), supE, thi, mutS215 :: Tn10 (tet^r) / F (araD36, proAB⁺, lacI⁺, lacZ Δ M15)

Reference:

Developer: User No.

Depositor: User No.

Restriction: a

RDB NO.: 117

Name of Host: DH21

Species: *Escherichia coli*

Genotype: DH1 (F⁺, lacI⁺, lacZ, proAB)

Reference:

Developer: User No.

Depositor: User No.

Restriction: a

RDB NO.: 118

Name of Host: TOP10

Species: *Escherichia coli*

Genotype: mcrA, Δ (mrr-hsdRMS-mcrBC), φ 80 Δ lac Δ M15, Δ lacX74, deoR, recA1, araD139 Δ (ara, leu), 7697, galU, galK, λ⁺, rpsL, endA1, mupG

Reference:

Developer: User No.

Depositor: User No.

Restriction: a

Host

(SOLR)

RDB NO. : 119Name of Host : INV1 α FSpecies : Escherichia coliGenotype : endA1, recA1, hsdR17m (1_K⁺ m_K⁺), supE44,λ⁺, thi-1, gyrA1, relA1, φ 80 lacZ Δ M15 Δ (lacZYA-argF) deoK⁺, F' (proAB, lacI^q)Reference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 120Name of Host : D1210Species : Escherichia coliGenotype : HB101 lacI^q, lacYReference : Gene. 8. 279-300 (1980).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 121Name of Host : SOLRSpecies : Escherichia coliGenotype : cl4⁺ (mcrA), Δ (marCB-hsdSMR-mrr)171,sbcC, recB, recJ, uvrC, lac, umuC :: TnS (Kan^r) gyrA96,relA1, thi-1, endA1. λ^R, [F, proAB, lacI^q Z Δ M15], Su⁺(non-suppressing)Reference : Strategies, 5. 16-18 (1992).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 123Name of Host : SRBSpecies : Escherichia coliGenotype : SbcC, recJ uvrC, umuC :: TnS (kan^r),supE44, lac, gyrA96, relA1, thi-1, endA1, Δ(marCB-hsdSMR-mrr) 171, [F, proAB, lacI^q Z Δ M15],cl4⁺ (mcrA)Reference : Strategies, 4. 8-9 (1991). Strategies, 4. 37 (1991).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 124Name of Host : SRB(P2)Species : Escherichia coliGenotype : SRB (P2 lysogen)Reference : Strategies, 4. 8-9 (1991). Strategies, 4. 37 (1991).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 125Name of Host : JM110Species : Escherichia coliGenotype : rpsL (str^r), thr, leu, thi-1, lacY, galK, galT,ara, tonA, tsx, dam, dcm, supE44, hsdR17, Δ (lac-proAB)[F, traD36, proAB, lacI^q Z Δ M15]Reference : J. Mol. Biol., 166, 557 (1983). Gene, 33, 103-199 (1985).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 126Name of Host : XS127 / P3Species : Escherichia coliGenotype : gyrA, rpoB331, thi, argE, Δ (lac-proAB), F[traD36, proAB⁺, lacI^q Z Δ M15]Reference : J. Mol. Biol., 166, 557 (1983).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 127Name of Host : CJ236Species : Escherichia coliGenotype : dut1, ung1, thi-1, relA1/pCJ105 (Cam^r), FReference :Developer : User No.Depositor : User No.Restriction : a

Host

(SURE & XL1-Blue MKT)

RDB NO. : 128Name of Host : CJ236 / P3Species : Escherichia coliGenotype : dur-1, ung-1, thi-1, relA1, deoR⁻, pCJ105(Cam^r, F), P3 : amber amp^r, amber tet^r, Kan^rReference : J. Mol. Biol., 166, 557 (1983).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 129Name of Host : SURESpecies : Escherichia coliGenotype : el4⁻ (mcrA), Δ (mcrCB-hsdSMR-mrr)171,shcC, recB, recJ, umuC :: Tn5 (kan^r) uvrC, supE44, lac,gyrA96, relA1, thi-1, endA1 [F⁻ proAB, lac^r Z ΔM15,Tn10 (tet^r)Reference : Strategies, 3, 5-6 (1990).Developer : User No.Depositor : User No.Restriction : a

②

RDB NO. : 130Name of Host : NM554Species : Escherichia coliGenotype : recA13, araD139, Δ (ara-leu) 7696, Δ(lac)17A, galU, galK, hsdR, rpsL (str^r), mcrA, mcrBReference : Nucleic Acids Res., 16, 1563-1575 (1988).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 131Name of Host : BB4Species : Escherichia coliGenotype : LE392.23 [F⁻ lac^r Z ΔM15, proAB, Tn10(tet^r)Reference : BioTechniques, 5, 376-379 (1987).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 132Name of Host : INV aSpecies : Escherichia coliGenotype : endA1, recA1, hsdR17, (r⁻, m⁻), supE44, Δ, thi-1, gyrA96, relA1, φ 80, lacZ ΔM15 Δ(lacZYA-argF), deoR⁻Reference : J. Mol. Biol., 166, 557 (1983).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 133Name of Host : XL1-Blue MRA (P2)Species : Escherichia coliGenotype : XL1-Blue MRA (P2 lysogen)Reference : Strategies, 6, 24 (1993).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 134Name of Host : XL1-Blue MR RecA⁻Species : Escherichia coliGenotype : Δ (mcrA)183, Δ (mcrCB-hsdSMR-mrr)173,endA1, supE44, thi-1, gyrA96, relA1, lacReference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 135Name of Host : XL1-Blue MRFSpecies : Escherichia coliGenotype : Δ (mcrA)183, Δ (mcrCB-hsdSMR-mrr)173,endA1, supE44, thi-1, recA1, gyrA96, relA1, lac, [F⁻,proAB, lac^r Z ΔM15, Tn10 (tet^r)Reference : Strategies, 5, 81-83 (1992).Developer : User No.Depositor : User No.Restriction : a

②